

NATIONAL INSTITUTE OF TECHNOLOGY HAZRATBAL, SRINAGAR- 190006 (J&K)

(Planning & Development Wing)
Tel: 0194-2102157 Fax: 0194-2420475

NIT/ET/CIVIL/07/21

For & on behalf of Chairman Board of Governors NIT Srinagar, e-tenders (in Two Cover System) are invited from Civil Contractors registered with state PWD, CPWD, MES for the below mentioned work:-

S. No	Particulars of Items	Cost of work	Completio n period	Class of contractor	Cost of T.D
01	Roofing of Hydro Biology Laboratory of (WRMC) & also laying of floor tiles	Rs. 30.73 lacs	60 days	A&B class	Rs. 500/-

Bidders are requested to Submit the online bids on E-tendering portal.

Website for online bid submission: https://mhrd.euniwizarde.com

Cost of Tender documents: - 50/- to be paid online mode only

Terms & Conditions:-

1. The Bidding documents Consisting of qualifying information, eligibility criteria, specifications, Drawings, bill of quantities (B.O.Q), Set of terms and conditions of contract and other details can be seen/downloaded from the NIT website www.nitsri.ac.in as per schedule of dates given below:-

_	<u>4</u> 5	Bid submission End date Date and time of opening of bids (Cover)	20-06-2021
-	3	Bid submission Start Date	10-06-2021 20-06-2021
F	2	Ŭ Ŭ	10.07.2021
	2	Period of downloading of bidding documents	10-06-2021
	1	Date of Issue of Tender Notice	10-06-2021

- Bids must be accompanied with cost of Tender document in shape of <u>NIT, Chest receipt/(Mentioning therein Nomenclature of the work and Advertised Cost)</u> in favour of <u>Dean P&D Wing, NIT, Srinagar (tender inviting authority) and</u> the cost of downloaded tender document as shown above in the table should be deposited in J&K Bank A/C No: 039101010000106.
- 2. <u>Earnest money in shape of CDR/FDR</u> pledged to <u>Dean P&D Wing, NIT, Srinagar (tender receiving authority)</u>. Or Earnest money/ Bid Security can be made through E-payment also on the E-Tendering/ E-Wizarde portal
- 3. The date and time of opening of Bids shall be notified on Web Site www.nitsri.ac.in and conveyed to the bidders automatically through an e-mail message on their e-mail address. The bids of Responsive bidders shall be opened online on same Web Site in the Office of Dean P&D Wing NIT, Srinagar (tender receiving authority).
- **4.** The bids for the work shall remain <u>valid for a period of 120 days from the date of opening of</u> **Technical bids**
- **5.** The earnest money shall be forfeited, If:-
- a. Any bidder/ tenderer withdraw his bid/ tender during the period of bid validity or makes any modifications in the terms and conditions of the bid.
- b. Failure of Successful bidder to furnish the required performance security within the specified time limit.
- c. Successful bidder to execute the agreement within 28 days after fixation of contract.
- 6. <u>Instruction to bidders regarding e-tendering process.</u>
- a. Bidders are advised to download bid submission manual from the "Downloads" option as well as from "Bidders Manual Kit" on website **www.nitsri.ac.in** acquaint bid submission process.
- b. To participate in bidding process, bidders have to get 'Digital Signature Certificate (DSC)' as per Information Technology Act-2000. Bidders can get digital certificate from any approved Vendor.

- c. The bidders have to submit their bids online in electronic format with digital Signature. No bid will be accepted in physical form.
- d. Bids will be opened online as per time schedule.
- e. Bidders must ensure to upload scanned copy of all necessary documents with the bid.
- f. Bidders must ensure to upload scanned copy of all necessary documents with the technical bid.

Note: - Scan all the documents on 100 dpi with black and white option.

- 6. Scanned copy of cost of tender document in shape of NIT, Chest (Mentioning therein the NIT No., nomenclature of the work and Advertised Cost) in favour of Executive Engineer P&D Wing NIT, Srinagar and Earnest Money in shape of CDR/FDR. (The date of earnest money/Bid security should be between the date of start of bid and Bid Submission End date) pledged to Executive Engineer P&D Wing Srinagar must be uploaded with the documents of the bid. The original NIT Chest (cost of tender document), CDR/FDR (earnest money/bid security) and relevant bid documents shall be obtained from the lowest bidder before the fixation of contract.
- **8.** Any item or items of work beyond the allotted items necessitated at site if any shall be also paid on allotted appreciation/depreciation on the Estimated Rate.
- **9.** Bidders are advised to use "My Documents" area in their user on E-Wizarde e-Tendering portal to store such documents as are required.

10. Instructions to Bidder (ITB)

- a. All bidders shall upload the following information and documents along with qualification criteria / qualification information with their bids:-
- b. Copies of original documents defining constitution/legal status, place of registration and principal place of Business with Cell No. and Correspondence address.
- c. Treasury Challan/CDR/FDR
- d. Scanned Copy of PAN Card
- e. Scanned Copy of GSTIN Registration and latest clearance certificate FORM GST-3B i.e. latest clearance certificate FORM GST-3B of the preceding Month to the issued of NIT.
- **11.** All documents relating to the bid shall be in the English Language.
- 12. Bidder must ensure to upload scanned copies of all necessary documents including earnest money and tender documents fee in terms of soft copies with technical bid. No document (s) which has /have not been uploaded shall be entertained in the form of hard copy. However, in case of any clarification the bidders shall have to produce original documents in support of soft copies if need arises
- **13.** The date of start of the work shall be reckoned from the 3rd day of issuance of LOI/Contract allotment as the case may be.
- **14. Penalty for delay in completion:**-In case of delay in completion of work beyond stipulated period of completion, penalty upto Rs. 200/- per day shall be imposed.
- 15. The tender receiving authority reserves the right to accept or reject any tender or all tenders without assigning any reason thereof.
- 16. <u>Lawda permission for ferring of material:- It is responsibility of the contractor to obtain building permission of materials involved in the construction from LAWDA and P&D wing will only serve letter to the LAWDA</u>
- **17. Restoration of work:-** On completion of contract the contractor shall be responsible to remove all unused material and restore all work in its original position at his own cost.
- **18. Traffic regulations:-**The contractor is bound to adhere to traffic regulations as is applicable from time to time and ensure arrangements of smooth regulation of traffic during execution of work.
- **19. Defect Liability period:-** The DLP shall be Calculated from date of certified completion of work and period **shall be 06 months.** The defects noticed in the work during execution or D.L.P. shall be corrected by the Contractor within the length of time specified by the Engineer. If the contractor does not correct the defects pertaining to D.L.P. to the satisfaction of the Engineer within the time specified, the Engineer will assess the cost of having the defects corrected and contractor will pay this amount on correction of defects.
- **20.** The date of start of work shall be reckoned within seven days from the date of issuance of allotment/ Letter of intent. In case the agency fails to execute the work, the deposits in the shape of CDR and Additional performance guarantee shall be liable for forfeiture besides initiating other punitive actions against the defaulter without serving any notice.

- **21. Tests:-**The contractor shall be solely responsible for carrying out the mandatory tests required for the quality control at his own cost.
- **22. Termination:** The employer may terminate the contract if the contractor causes a fundamental breach of the contract.
- **23. Court's Jurisdiction:** In case of any dispute/differences between contractor and department the Jurisdiction shall be union territory of J&K.
- **24.** The contractor who will participate in the tendering shall have to fill declaration form which is Annexed with the NIT.
- **25.** After opening of tender the lowest tenderer has to submit earnest money of the 2% of the tendered cost within 7 days from the issue of the letter and award of contract shall be accordingly issued in favour of L1.

26. Other Conditions.

- If any omission is found in the specification / rate of item or there is an any typographical error in the rate/item, the same shall be read as per approved estimate
- The supply if found defective /not as per approved specifications, the item will not be accepted and will have to be replaced at the risk & cost of allottee.
- The rates should be written clearly and legible both in words and figures and avoid corrections. Further all rates should be covered with transparent tape.
- Any tenderer quoting "Free of Cost" for any item of work, the tender shall be rejected.
- The tenderer quoting "Rebate" on comparative cost or on item of rate will be rejected. Contractor should thus adjust amount within the quoted rate structure.
- The splitting of quantity of any item i.e. quoting of more than one rate for the item is not accepted.
- The competent authority reserves the right to reject any tender without assigning any reason thereof.

Dean (P&D) P&D wing

Advertisement quantity schedule/rate list for Roofing of Hydro Biology Laboratory of (WRMC) & also laying of floor tiles at NIT Srinagar (Advertised cost Rs. 30.73 Lacs.)

S.No.	Description of Item	Rate to be quoted by the Contractor (%)
01	Contractor may quote single percentage of rate above or belo	W
	(Appreciation/depreciation) over advertised cost neatly in figures as well as in word	s.
	Items to be executed are given below in the Table.	

S.No	Description of item.	Quantity	Unit.	Rate in Rupees
01.	Providing and laying vitrified floor tiles in different sizes(thickness to be specified by the manufacture) with water absorption less than 0.80 % and conforming to IS:15622, of approved make, in all colours and shades, laid on 15 mm to 20 mm thick chemical mortar including grouting the joints with white cement pigments etc, complete size of tile 600 mm x 600 mm	115.92	SM	1850/-
02.	Providing and fixing aluminums work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminum sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminum snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately):	1055.33	Kgs	456.30/-
03.	Providing and fixing glazing in aluminum door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge .(Cost of aluminum snap beading shall be paid in basic item): with float glass panes of 5.0 mm thickness (Window Shutters)	48.22	SM	999.60/-
04	Providing and fixing 12 mm thick pre laminated particle board flat pressed three layer or graded wood particle board conforming to IS:12823 Grade l Type ll, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer in-charge. (Pre-laminated particle board with decorative lamination on both sides)	66.00	SM	1046.90/-
05	Providing and fixing of aluminum round shaped handle bar 100 mm outer dia. With S S Screw etc, complete as per direction of Engineer – in-charge, power coated minimum thickness 50 micron aluminum	03	No's	83.60/-
06	Providing and fixing aluminum casement windows fastener of required length for aluminum windows with necessary screws etc. complete. Powder coated minimum thickness 50 micron aluminum	40	No's	71.55/-
07	Providing and fixing of 100 mm long aluminum hinges with necessary screw etc. complete job	20	No's	60/-
08	Providing and fixing of Aluminum mortice lock including necessary screw etc, with complete job.	02	No's	900/-
09	Engagement of Labours for clearance of site by way of leveling of excavated earth beyond 50 mts. Lead and removing dirt from existing R.C.C Slab with complete job (04 labours /day for 06 days	24	No's	600/-
10	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10sqm on plan) including getting out and disposal of excavated earth lead up t o 50 m and lift up to 1.5 m, as directed by	30.40	Cum	181.85/-

	Engineer-in-charge.2.6.1 All kinds of soil(Pits)			
11	Providing and laying of dry stone soiling hand packed including all mechanical and manual carriage up to site	2.00	Cum	1250/-
12	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:3:6 (1 Cement: 3 coarse sand (zone-III): 6 graded stone aggregate 20 mm nominal size)	1.52	Cum	6259.10/-
12(b)	Carriage of all the material including complete job. (08 trips of load carrier	08	No's	500/-
13	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete up to plinth level Thermo-Mechanically Treated bars	844.10	Kgs	83.50/-
14	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size)	22.87	Cum	7718.25/-
15	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished welded type tubes (175 mm x 6 mm)	3906.63	Kgs	143.45/-
16	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete	11032.40	Kgs	101.75/-
17	Providing corrugated poly coated G.I.Sheets roofing including vertical/curved surface fixed with polymercoated J or L hooks bolts and nuts 8 mm diameter (0.50mm thick)	216.37	SM	1250/-
18	Providing and fixing of poly coated plain G.I. Sheets face runner 0.80 mm th.ck	38.11	RM	350/-

Dean (P&D) P&D wing

Performa for Earnest Money Deposit Declarations

Where as I /we	(Name of the Agency)	
	have submitted bids for	(Name
of the work)		

I/we hereby submit following declaration in lieu of submitting earnest money deposit.

- **1.** If after the opening of Tender, I/we withdraw or modify my /over bid during the period of validity of the tender (including extended validity of tender) specified in the tender documents.
- **2.** I after the award of work I/we fail to sign the contract or to submit performance guaranty before the dead line defined in the tender documents

I/we shall be suspended for one year and shall not be eligible to bid for P&D tenders from date of issue of suspension order.

(signature of contractor)s